



# ROBUST-BOX

## Universal IP 66 plastic enclosures

Both case shells of the ROBUST-BOX are equipped with pre-molded threads. As a result, users can decide whether the flat or the high part of the case is used as the bottom part.

- versatile, sealed enclosures in eleven basic dimensions, different heights and two standard materials
- ABS (UL 94 HB), approved as a terminal mounting case
- PC (UL 94 HB), a solid and robust case, with high heat resistance for use in adverse environments
- RF permeable enclosure materials
- usable as a handheld, desktop or wall mount enclosure, and also as a DIN rail enclosure (with accessory DIN rail clips)
- easy-assembly; the case shells can be used as either the top or the base section
- both parts with recessed operating area for protecting membrane keypads or product labels
- the cover fixings are outside of the sealed area; the fixing screws are rust proof and captured in the top part
- hidden screw shafts for wall mounting or external wall mounting brackets
- colored cover strips for coding (as an alternative to the standard version in light gray)
- internal fastening pillars for PCBs and components
- extensive range of accessories: case feet, hinge, fastening elements to DIN rails, PCB support for mounting pre-assembled PCB units etc.



# ROBUST-BOX

## Applications and Examples

These robust enclosures can be used for both electrical and electronic installations, for example heating, climate, ventilation, machine building and construction equipment. Also, push-button controllers, sensors and measuring equipment. Gateways.



Fill level measurement in process technology



Heating Control



Humidity and temperature measuring unit



Measuring, regulating and metering unit for water quality



Portable metal detector



Robust monitoring systems



Sensor for air pollution



Stationary gas detection system

## View Customizing Options

What do you still need for your own very personal product? We can supply enclosures and tuning knobs with all necessary modifications for fitting your electronic components.

Customizing options for Robust-Box



Machining



Lacquering



Printing



Laser marking



Decor foils



Special material



RFI/EMI shielding



Installation / Assembly of accessories

# ROBUST-BOX

## Select Versions



**C0080801**  
Case shell 3.150", with groove  
ABS (UL 94 HB)  
light gray RAL 7035  
3.15"x3.15"x0.79"



**C0080802**  
Case shell 3.150", with groove  
PC (UL 94 HB)  
light gray RAL 7035  
3.15"x3.15"x0.79"



**C0081201**  
Case shell 3.150", with groove  
ABS (UL 94 HB)  
light gray RAL 7035  
4.72"x3.15"x0.79"



**C0081202**  
Case shell 3.150", with groove  
PC (UL 94 HB)  
light gray RAL 7035  
4.72"x3.15"x0.79"




**C0081601**  
Case shell 3.150", with groove  
ABS (UL 94 HB)  
light gray RAL 7035  
6.30"x3.15"x0.79"




**C0081602**  
Case shell 3.150", with groove  
PC (UL 94 HB)  
light gray RAL 7035  
6.30"x3.15"x0.79"




**C0082401**  
Case shell 3.150", with groove  
ABS (UL 94 HB)  
light gray RAL 7035  
9.45"x3.15"x0.79"




**C0082402**  
Case shell 3.150", with groove  
PC (UL 94 HB)  
light gray RAL 7035  
9.45"x3.15"x0.79"



**C0121201**  
Case shell 4.724", with tongue  
ABS (UL 94 HB)  
light gray RAL 7035  
4.72"x4.72"x1.18"



**C0121202**  
Case shell 4.724", with tongue  
PC (UL 94 HB)  
light gray RAL 7035  
4.72"x4.72"x1.18"



**C0122001**  
Case shell 4.724", with tongue  
ABS (UL 94 HB)  
light gray RAL 7035  
7.87"x4.72"x1.18"



**C0122002**  
Case shell 4.724", with tongue  
PC (UL 94 HB)  
light gray RAL 7035  
7.87"x4.72"x1.18"



**C0122401**  
Case shell 4.724", with tongue  
ABS (UL 94 HB)  
light gray RAL 7035  
9.45"x4.72"x1.18"



**C0122402**  
Case shell 4.724", with tongue  
PC (UL 94 HB)  
light gray RAL 7035  
9.45"x4.72"x1.18"



**C0161601**  
Case shell 6.299", with tongue  
ABS (UL 94 HB)  
light gray RAL 7035  
6.30"x6.30"x1.18"



**C0161602**  
Case shell 6.299", with tongue  
PC (UL 94 HB)  
light gray RAL 7035  
6.30"x6.30"x1.18"

# ROBUST-BOX



**C0162401**  
Case shell 6.299", with tongue  
ABS (UL 94 HB)  
light gray RAL 7035  
9.45"x6.30"x1.18"



**C0162402**  
Case shell 6.299", with tongue  
PC (UL 94 HB)  
light gray RAL 7035  
9.45"x6.30"x1.18"




**C1080801**  
Case shell 3.150", with tongue  
ABS (UL 94 HB)  
light gray RAL 7035  
3.15"x3.15"x1.57"




**C1080802**  
Case shell 3.150", with tongue  
PC (UL 94 HB)  
light gray RAL 7035  
3.15"x3.15"x1.57"



**C1081201**  
Case shell 3.150", with tongue  
ABS (UL 94 HB)  
light gray RAL 7035  
4.72"x3.15"x1.57"



**C1081202**  
Case shell 3.150", with tongue  
PC (UL 94 HB)  
light gray RAL 7035  
4.72"x3.15"x1.57"




**C1081601**  
Case shell 3.150", with tongue  
ABS (UL 94 HB)  
light gray RAL 7035  
6.30"x3.15"x1.57"



**C1081602**  
Case shell 3.150", with tongue  
PC (UL 94 HB)  
light gray RAL 7035  
6.30"x3.15"x1.57"




**C1082401**  
Case shell 3.150", with tongue  
ABS (UL 94 HB)  
light gray RAL 7035  
9.45"x3.15"x1.57"




**C1082402**  
Case shell 3.150", with tongue  
PC (UL 94 HB)  
light gray RAL 7035  
9.45"x3.15"x1.57"



**C1121201**  
Case shell 4.724", with groove  
ABS (UL 94 HB)  
light gray RAL 7035  
4.72"x4.72"x1.18"




**C1121202**  
Case shell 4.724", with groove  
PC (UL 94 HB)  
light gray RAL 7035  
4.72"x4.72"x1.18"




**C1122001**  
Case shell 4.724", with groove  
ABS (UL 94 HB)  
light gray RAL 7035  
7.87"x4.72"x1.18"



**C1122002**  
Case shell 4.724", with groove  
PC (UL 94 HB)  
light gray RAL 7035  
7.87"x4.72"x1.18"



**C1122401**  
Case shell 4.724", with groove  
ABS (UL 94 HB)  
light gray RAL 7035  
9.45"x4.72"x1.18"



**C1122402**  
Case shell 4.724", with groove  
PC (UL 94 HB)  
light gray RAL 7035  
9.45"x4.72"x1.18"

# ROBUST-BOX



**C1161601**  
 Case shell 6.299", with groove  
 ABS (UL 94 HB)  
 light gray RAL 7035  
 6.30"x6.30"x1.18"



**C1161602**  
 Case shell 6.299", with groove  
 PC (UL 94 HB)  
 light gray RAL 7035  
 6.30"x6.30"x1.18"



**C1162401**  
 Case shell 6.299", with groove  
 ABS (UL 94 HB)  
 light gray RAL 7035  
 9.45"x6.30"x1.18"




**C1162402**  
 Case shell 6.299", with groove  
 PC (UL 94 HB)  
 light gray RAL 7035  
 9.45"x6.30"x1.18"



**C1203001**  
 Case shell 7.874", with tongue  
 ABS (UL 94 HB)  
 light gray RAL 7035  
 11.81"x7.87"x1.57"




**C1243601**  
 Case shell 9.449", with tongue  
 ABS (UL 94 HB)  
 light gray RAL 7035  
 14.17"x9.45"x1.57"



**C2008081**  
 ROBUST-BOX WIDTH 3.150",  
 Vers. I  
 ABS (UL 94 HB)  
 light gray RAL 7035  
 3.15"x3.15"x2.36"  
 IP 66



**C2008082**  
 ROBUST-BOX WIDTH 3.150",  
 Vers. II  
 PC (UL 94 HB)  
 light gray RAL 7035  
 3.15"x3.15"x2.36"  
 IP 66



**C2008121**  
 ROBUST-BOX WIDTH 3.150",  
 Vers. I  
 ABS (UL 94 HB)  
 light gray RAL 7035  
 4.72"x3.15"x2.36"  
 IP 66



**C2008122**  
 ROBUST-BOX WIDTH 3.150",  
 Vers. II  
 PC (UL 94 HB)  
 light gray RAL 7035  
 4.72"x3.15"x2.36"  
 IP 66




**C2008161**  
 ROBUST-BOX WIDTH 3.150",  
 Vers. I  
 ABS (UL 94 HB)  
 light gray RAL 7035  
 6.30"x3.15"x2.36"  
 IP 66



**C2008162**  
 ROBUST-BOX WIDTH 3.150",  
 Vers. II  
 PC (UL 94 HB)  
 light gray RAL 7035  
 6.30"x3.15"x2.36"  
 IP 66



**C2008241**  
 ROBUST-BOX WIDTH 3.150",  
 Vers. I  
 ABS (UL 94 HB)  
 light gray RAL 7035  
 9.45"x3.15"x2.36"  
 IP 66



**C2008242**  
 ROBUST-BOX WIDTH 3.150",  
 Vers. II  
 PC (UL 94 HB)  
 light gray RAL 7035  
 9.45"x3.15"x2.36"  
 IP 66



**C2012121**  
 ROBUST-BOX WIDTH 4.724",  
 Vers. I  
 ABS (UL 94 HB)  
 light gray RAL 7035  
 4.72"x4.72"x2.36"  
 IP 66



**C2012122**  
 ROBUST-BOX WIDTH 4.724",  
 Vers. II  
 PC (UL 94 HB)  
 light gray RAL 7035  
 4.72"x4.72"x2.36"  
 IP 66

# ROBUST-BOX



**C2012201**  
ROBUST-BOX WIDTH 4.724",  
Vers. I  
ABS (UL 94 HB)  
light gray RAL 7035  
7.87"x4.72"x2.36"  
IP 66



**C2012202**  
ROBUST-BOX WIDTH 4.724",  
Vers. II  
PC (UL 94 HB)  
light gray RAL 7035  
7.87"x4.72"x2.36"  
IP 66



**C2012241**  
ROBUST-BOX WIDTH 4.724",  
Vers. I  
ABS (UL 94 HB)  
light gray RAL 7035  
9.45"x4.72"x2.36"  
IP 66



**C2012242**  
ROBUST-BOX WIDTH 4.724",  
Vers. II  
PC (UL 94 HB)  
light gray RAL 7035  
9.45"x4.72"x2.36"  
IP 66



**C2016161**  
ROBUST-BOX WIDTH 6.299",  
Vers. I  
ABS (UL 94 HB)  
light gray RAL 7035  
6.30"x6.30"x2.36"  
IP 66



**C2016162**  
ROBUST-BOX WIDTH 6.299",  
Vers. II  
PC (UL 94 HB)  
light gray RAL 7035  
6.30"x6.30"x2.36"  
IP 66



**C2016241**  
ROBUST-BOX WIDTH 6.299",  
Vers. I  
ABS (UL 94 HB)  
light gray RAL 7035  
9.45"x6.30"x2.36"  
IP 66



**C2016242**  
ROBUST-BOX WIDTH 6.299",  
Vers. II  
PC (UL 94 HB)  
light gray RAL 7035  
9.45"x6.30"x2.36"  
IP 66




**C2080801**  
Case shell 3.150", with groove  
ABS (UL 94 HB)  
light gray RAL 7035  
3.15"x3.15"x1.57"




**C2080802**  
Case shell 3.150", with groove  
PC (UL 94 HB)  
light gray RAL 7035  
3.15"x3.15"x1.57"




**C2081201**  
Case shell 3.150", with groove  
ABS (UL 94 HB)  
light gray RAL 7035  
4.72"x3.15"x1.57"




**C2081202**  
Case shell 3.150", with groove  
PC (UL 94 HB)  
light gray RAL 7035  
4.72"x3.15"x1.57"




**C2081601**  
Case shell 3.150", with groove  
ABS (UL 94 HB)  
light gray RAL 7035  
6.30"x3.15"x1.57"



**C2081602**  
Case shell 3.150", with groove  
PC (UL 94 HB)  
light gray RAL 7035  
6.30"x3.15"x1.57"




**C2082401**  
Case shell 3.150", with groove  
ABS (UL 94 HB)  
light gray RAL 7035  
9.45"x3.15"x1.57"




**C2082402**  
Case shell 3.150", with groove  
PC (UL 94 HB)  
light gray RAL 7035  
9.45"x3.15"x1.57"


# ROBUST-BOX



**C2108081**  
ROBUST-BOX WIDTH 3.150",  
Vers. I  
ABS (UL 94 HB)  
light gray RAL 7035  
3.15"x3.15"x3.15"  
IP 66




**C2108082**  
ROBUST-BOX WIDTH 3.150",  
Vers. II  
PC (UL 94 HB)  
light gray RAL 7035  
3.15"x3.15"x3.15"  
IP 66




**C2108121**  
ROBUST-BOX WIDTH 3.150",  
Vers. I  
ABS (UL 94 HB)  
light gray RAL 7035  
4.72"x3.15"x3.15"  
IP 66




**C2108122**  
ROBUST-BOX WIDTH 3.150",  
Vers. II  
PC (UL 94 HB)  
light gray RAL 7035  
4.72"x3.15"x3.15"  
IP 66



**C2108161**  
ROBUST-BOX WIDTH 3.150",  
Vers. I  
ABS (UL 94 HB)  
light gray RAL 7035  
6.30"x3.15"x3.15"  
IP 66



**C2108162**  
ROBUST-BOX WIDTH 3.150",  
Vers. II  
PC (UL 94 HB)  
light gray RAL 7035  
6.30"x3.15"x3.15"  
IP 66



**C2108241**  
ROBUST-BOX WIDTH 3.150",  
Vers. I  
ABS (UL 94 HB)  
light gray RAL 7035  
9.45"x3.15"x3.15"  
IP 66



**C2108242**  
ROBUST-BOX WIDTH 3.150",  
Vers. II  
PC (UL 94 HB)  
light gray RAL 7035  
9.45"x3.15"x3.15"  
IP 66




**C2112121**  
ROBUST-BOX WIDTH 4.724",  
Vers. I  
ABS (UL 94 HB)  
light gray RAL 7035  
4.72"x4.72"x3.54"  
IP 66




**C2112122**  
ROBUST-BOX WIDTH 4.724",  
Vers. II  
PC (UL 94 HB)  
light gray RAL 7035  
4.72"x4.72"x3.54"  
IP 66




**C2112201**  
ROBUST-BOX WIDTH 4.724",  
Vers. I  
ABS (UL 94 HB)  
light gray RAL 7035  
7.87"x4.72"x3.54"  
IP 66



**C2112202**  
ROBUST-BOX WIDTH 4.724",  
Vers. II  
PC (UL 94 HB)  
light gray RAL 7035  
7.87"x4.72"x3.54"  
IP 66



**C2112241**  
ROBUST-BOX WIDTH 4.724",  
Vers. I  
ABS (UL 94 HB)  
light gray RAL 7035  
9.45"x4.72"x3.54"  
IP 66



**C2112242**  
ROBUST-BOX WIDTH 4.724",  
Vers. II  
PC (UL 94 HB)  
light gray RAL 7035  
9.45"x4.72"x3.54"  
IP 66



**C2116161**  
ROBUST-BOX WIDTH 6.299",  
Vers. I  
ABS (UL 94 HB)  
light gray RAL 7035  
6.30"x6.30"x3.54"  
IP 66



**C2116162**  
ROBUST-BOX WIDTH 6.299",  
Vers. II  
PC (UL 94 HB)  
light gray RAL 7035  
6.30"x6.30"x3.54"  
IP 66

# ROBUST-BOX



**C2116241**  
ROBUST-BOX WIDTH 6.299",  
Vers. I  
ABS (UL 94 HB)  
light gray RAL 7035  
9.45"x6.30"x3.54"  
IP 66



**C2116242**  
ROBUST-BOX WIDTH 6.299",  
Vers. II  
PC (UL 94 HB)  
light gray RAL 7035  
9.45"x6.30"x3.54"  
IP 66



**C2120301**  
ROBUST-BOX WIDTH 7.874",  
Vers. I  
ABS (UL 94 HB)  
light gray RAL 7035  
11.81"x7.87"x3.15"  
IP 66




**C2121201**  
Case shell 4.724", with tongue  
ABS (UL 94 HB)  
light gray RAL 7035  
4.72"x4.72"x2.36"




**C2121202**  
Case shell 4.724", with tongue  
PC (UL 94 HB)  
light gray RAL 7035  
4.72"x4.72"x2.36"




**C2122001**  
Case shell 4.724", with tongue  
ABS (UL 94 HB)  
light gray RAL 7035  
7.87"x4.72"x2.36"



**C2122002**  
Case shell 4.724", with tongue  
PC (UL 94 HB)  
light gray RAL 7035  
7.87"x4.72"x2.36"



**C2122401**  
Case shell 4.724", with tongue  
ABS (UL 94 HB)  
light gray RAL 7035  
9.45"x4.72"x2.36"



**C2122402**  
Case shell 4.724", with tongue  
PC (UL 94 HB)  
light gray RAL 7035  
9.45"x4.72"x2.36"



**C2124361**  
ROBUST-BOX WIDTH 9.449",  
Vers. I  
ABS (UL 94 HB)  
light gray RAL 7035  
14.17"x9.45"x3.15"  
IP 66



**C2161601**  
Case shell 6.299", with tongue  
ABS (UL 94 HB)  
light gray RAL 7035  
6.30"x6.30"x2.36"



**C2161602**  
Case shell 6.299", with tongue  
PC (UL 94 HB)  
light gray RAL 7035  
6.30"x6.30"x2.36"



**C2162401**  
Case shell 6.299", with tongue  
ABS (UL 94 HB)  
light gray RAL 7035  
9.45"x6.30"x2.36"



**C2162402**  
Case shell 6.299", with tongue  
PC (UL 94 HB)  
light gray RAL 7035  
9.45"x6.30"x2.36"



**C2203001**  
Case shell 7.874", with groove  
ABS (UL 94 HB)  
light gray RAL 7035  
11.81"x7.87"x1.57"



**C2243601**  
Case shell 9.449", with groove  
ABS (UL 94 HB)  
light gray RAL 7035  
14.17"x9.45"x1.57"


# ROBUST-BOX




**C2416241**  
ROBUST-BOX WIDTH 6.299",  
Vers. I  
ABS (UL 94 HB)  
light gray RAL 7035  
9.45"x6.30"x4.72"  
IP 66



**C2416242**  
ROBUST-BOX WIDTH 6.299",  
Vers. II  
PC (UL 94 HB)  
light gray RAL 7035  
9.45"x6.30"x4.72"  
IP 66



**C2420301**  
ROBUST-BOX WIDTH 7.874",  
Vers. I  
ABS (UL 94 HB)  
light gray RAL 7035  
11.81"x7.87"x4.72"  
IP 66



**C2424361**  
ROBUST-BOX WIDTH 9.449",  
Vers. I  
ABS (UL 94 HB)  
light gray RAL 7035  
14.17"x9.45"x4.72"  
IP 66



**C2520301**  
ROBUST-BOX WIDTH 7.874",  
Vers. I  
ABS (UL 94 HB)  
light gray RAL 7035  
11.81"x7.87"x6.30"  
IP 66




**C2524361**  
ROBUST-BOX WIDTH 9.449",  
Vers. I  
ABS (UL 94 HB)  
light gray RAL 7035  
14.17"x9.45"x6.30"  
IP 66



**C3162401**  
Case shell 6.299", with groove  
ABS (UL 94 HB)  
light gray RAL 7035  
9.45"x6.30"x2.36"



**C3162402**  
Case shell 6.299", with groove  
PC (UL 94 HB)  
light gray RAL 7035  
9.45"x6.30"x2.36"



**C4203001**  
Case shell 7.874", with tongue  
ABS (UL 94 HB)  
light gray RAL 7035  
11.81"x7.87"x3.15"



**C4243601**  
Case shell 9.449", with tongue  
ABS (UL 94 HB)  
light gray RAL 7035  
14.17"x9.45"x3.15"



**C5203001**  
Case shell 7.874", with groove  
ABS (UL 94 HB)  
light gray RAL 7035  
11.81"x7.87"x3.15"



**C5243601**  
Case shell 9.449", with groove  
ABS (UL 94 HB)  
light gray RAL 7035  
14.17"x9.45"x3.15"

## System components to complete



**C0080801**  
Case shell 3.150", with groove  
ABS (UL 94 HB)  
light gray RAL 7035  
3.15"x3.15"x0.79"



**C0080802**  
Case shell 3.150", with groove  
PC (UL 94 HB)  
light gray RAL 7035  
3.15"x3.15"x0.79"



**C0081201**  
Case shell 3.150", with groove  
ABS (UL 94 HB)  
light gray RAL 7035  
4.72"x3.15"x0.79"



**C0081202**  
Case shell 3.150", with groove  
PC (UL 94 HB)  
light gray RAL 7035  
4.72"x3.15"x0.79"


# ROBUST-BOX




**C0081601**  
Case shell 3.150", with groove  
ABS (UL 94 HB)  
light gray RAL 7035  
6.30"x3.15"x0.79"



**C0081602**  
Case shell 3.150", with groove  
PC (UL 94 HB)  
light gray RAL 7035  
6.30"x3.15"x0.79"



**C0082401**  
Case shell 3.150", with groove  
ABS (UL 94 HB)  
light gray RAL 7035  
9.45"x3.15"x0.79"



**C0082402**  
Case shell 3.150", with groove  
PC (UL 94 HB)  
light gray RAL 7035  
9.45"x3.15"x0.79"



**C0121201**  
Case shell 4.724", with tongue  
ABS (UL 94 HB)  
light gray RAL 7035  
4.72"x4.72"x1.18"



**C0121202**  
Case shell 4.724", with tongue  
PC (UL 94 HB)  
light gray RAL 7035  
4.72"x4.72"x1.18"



**C0122001**  
Case shell 4.724", with tongue  
ABS (UL 94 HB)  
light gray RAL 7035  
7.87"x4.72"x1.18"



**C0122002**  
Case shell 4.724", with tongue  
PC (UL 94 HB)  
light gray RAL 7035  
7.87"x4.72"x1.18"



**C0122401**  
Case shell 4.724", with tongue  
ABS (UL 94 HB)  
light gray RAL 7035  
9.45"x4.72"x1.18"



**C0122402**  
Case shell 4.724", with tongue  
PC (UL 94 HB)  
light gray RAL 7035  
9.45"x4.72"x1.18"



**C0161601**  
Case shell 6.299", with tongue  
ABS (UL 94 HB)  
light gray RAL 7035  
6.30"x6.30"x1.18"



**C0161602**  
Case shell 6.299", with tongue  
PC (UL 94 HB)  
light gray RAL 7035  
6.30"x6.30"x1.18"



**C0162401**  
Case shell 6.299", with tongue  
ABS (UL 94 HB)  
light gray RAL 7035  
9.45"x6.30"x1.18"



**C0162402**  
Case shell 6.299", with tongue  
PC (UL 94 HB)  
light gray RAL 7035  
9.45"x6.30"x1.18"




**C2080801**  
Case shell 3.150", with groove  
ABS (UL 94 HB)  
light gray RAL 7035  
3.15"x3.15"x1.57"




**C2080802**  
Case shell 3.150", with groove  
PC (UL 94 HB)  
light gray RAL 7035  
3.15"x3.15"x1.57"


# ROBUST-BOX



**C2081201**  
Case shell 3.150", with groove  
ABS (UL 94 HB)  
light gray RAL 7035  
4.72"x3.15"x1.57"




**C2081202**  
Case shell 3.150", with groove  
PC (UL 94 HB)  
light gray RAL 7035  
4.72"x3.15"x1.57"




**C2081601**  
Case shell 3.150", with groove  
ABS (UL 94 HB)  
light gray RAL 7035  
6.30"x3.15"x1.57"



**C2081602**  
Case shell 3.150", with groove  
PC (UL 94 HB)  
light gray RAL 7035  
6.30"x3.15"x1.57"



**C2082401**  
Case shell 3.150", with groove  
ABS (UL 94 HB)  
light gray RAL 7035  
9.45"x3.15"x1.57"



**C2082402**  
Case shell 3.150", with groove  
PC (UL 94 HB)  
light gray RAL 7035  
9.45"x3.15"x1.57"




**C2121201**  
Case shell 4.724", with tongue  
ABS (UL 94 HB)  
light gray RAL 7035  
4.72"x4.72"x2.36"



**C2121202**  
Case shell 4.724", with tongue  
PC (UL 94 HB)  
light gray RAL 7035  
4.72"x4.72"x2.36"



**C2122001**  
Case shell 4.724", with tongue  
ABS (UL 94 HB)  
light gray RAL 7035  
7.87"x4.72"x2.36"



**C2122002**  
Case shell 4.724", with tongue  
PC (UL 94 HB)  
light gray RAL 7035  
7.87"x4.72"x2.36"



**C2122401**  
Case shell 4.724", with tongue  
ABS (UL 94 HB)  
light gray RAL 7035  
9.45"x4.72"x2.36"



**C2122402**  
Case shell 4.724", with tongue  
PC (UL 94 HB)  
light gray RAL 7035  
9.45"x4.72"x2.36"



**C2161601**  
Case shell 6.299", with tongue  
ABS (UL 94 HB)  
light gray RAL 7035  
6.30"x6.30"x2.36"



**C2161602**  
Case shell 6.299", with tongue  
PC (UL 94 HB)  
light gray RAL 7035  
6.30"x6.30"x2.36"



**C2162401**  
Case shell 6.299", with tongue  
ABS (UL 94 HB)  
light gray RAL 7035  
9.45"x6.30"x2.36"



**C2162402**  
Case shell 6.299", with tongue  
PC (UL 94 HB)  
light gray RAL 7035  
9.45"x6.30"x2.36"

# ROBUST-BOX



**C2203001**  
Case shell 7.874", with groove  
ABS (UL 94 HB)  
light gray RAL 7035  
11.81"x7.87"x1.57"



**C2243601**  
Case shell 9.449", with groove  
ABS (UL 94 HB)  
light gray RAL 7035  
14.17"x9.45"x1.57"



**C2299001**  
Assembly kit



**C2299002**  
Assembly kit



**C5203001**  
Case shell 7.874", with groove  
ABS (UL 94 HB)  
light gray RAL 7035  
11.81"x7.87"x3.15"



**C5243601**  
Case shell 9.449", with groove  
ABS (UL 94 HB)  
light gray RAL 7035  
14.17"x9.45"x3.15"

## Accessory to complete



**C2200801**  
Cover strips 3.150", without  
holes  
PC (UL 94 HB)  
light gray RAL 7035



**C2201082**  
Cover strips 3.150"  
PC (UL 94 HB)  
silver gray RAL 7001



**C2201084**  
Cover strips 3.150"  
PC (UL 94 HB)  
red RAL 3020




**C2201085**  
Cover strips 3.150"  
PC (UL 94 HB)  
yellow RAL 1023



**C2201086**  
Cover strips 3.150"  
PC (UL 94 HB)  
green RAL 6024



**C2201087**  
Cover strips 3.150"  
PC (UL 94 HB)  
blue RAL 5017



**C2201201**  
Cover strips 4.724", without  
holes  
PC (UL 94 HB)  
light gray RAL 7035



**C2201601**  
Cover strips 6.299", without  
holes  
PC (UL 94 HB)  
light gray RAL 7035

# ROBUST-BOX



**C2202001**  
 Cover strips 7.874", without  
 holes  
 PC (UL 94 HB)  
 light gray RAL 7035



**C2202401**  
 Cover strips 9.449", without  
 holes  
 PC (UL 94 HB)  
 light gray RAL 7035



**C2203123**  
 Cover strips 4.724"  
 PC (UL 94 HB)  
 silver gray RAL 7001



**C2203124**  
 Cover strips 4.724"  
 PC (UL 94 HB)  
 red RAL 3020



**C2203125**  
 Cover strips 4.724"  
 PC (UL 94 HB)  
 yellow RAL 1023



**C2203126**  
 Cover strips 4.724"  
 PC (UL 94 HB)  
 green RAL 6024



**C2203127**  
 Cover strips 4.724"  
 PC (UL 94 HB)  
 blue RAL 5017



**C2204162**  
 Cover strips 6.299"  
 PC (UL 94 HB)  
 silver gray RAL 7001



**C2204164**  
 Cover strips 6.299"  
 PC (UL 94 HB)  
 red RAL 3020



**C2204165**  
 Cover strips 6.299"  
 PC (UL 94 HB)  
 yellow RAL 1023



**C2204166**  
 Cover strips 6.299"  
 PC (UL 94 HB)  
 green RAL 6024



**C2204167**  
 Cover strips 6.299"  
 PC (UL 94 HB)  
 blue RAL 5017



**C2210801**  
 Cover strips 3.150", with holes  
 PC (UL 94 HB)  
 light gray RAL 7035



**C2211201**  
 Cover strips 4.724", with holes  
 PC (UL 94 HB)  
 light gray RAL 7035



**C2211601**  
 Cover strips 6.299", with holes  
 PC (UL 94 HB)  
 light gray RAL 7035



**C2212001**  
 Cover strips 7.874", with holes  
 PC (UL 94 HB)  
 light gray RAL 7035

# ROBUST-BOX



**C2212401**  
 Cover strips 9.449", with holes  
 PC (UL 94 HB)  
 light gray RAL 7035

## Accessory "protection"



**C2299040**  
 Security plug  
 PA 6 (UL 94 HB)  
 light gray RAL 7035



**C2299042**  
 Security kit width 4.724"  
 PA 6 (UL 94 HB)  
 light gray RAL 7035



**C2299046**  
 Security kit width 6.299"  
 PA 6 (UL 94 HB)  
 light gray RAL 7035



**C2299048**  
 Security kit width 3.150"  
 PA 6 (UL 94 HB)  
 light gray RAL 7035



**C2306917**  
 Pressure equalization element  
 M6x0.030"  
 PA 6 (UL 94 HB)  
 light gray RAL 7035  
 IP 56



**C2310917**  
 Pressure equalization element  
 M10x0.039"  
 PA 6 (UL 94 HB)  
 light gray RAL 7035  
 IP 56



**C2320137**  
 Cable grommet  
 EPDM  
 light gray RAL 7035  
 IP 67

## Accessory "wall/holder"



**C2201088**  
 Fastening elements to DIN-Rails  
 PA 6  
 light gray RAL 7035



**C2203128**  
 Fastening elements to DIN-Rails  
 PA 6  
 light gray RAL 7035



**C2204168**  
 Fastening elements to DIN-Rails  
 PA 6  
 light gray RAL 7035



**C2299028**  
 Wall mounting brackets  
 PA 6 (UL 94 HB)  
 light gray RAL 7035

# ROBUST-BOX



**C2299031**  
Securing hinge for the cover  
PP  
natural-colored



**C2299088**  
Hinge  
PA 6  
light gray RAL 7035

## Accessory "screws"



**A0306031**  
Self-tapping screws 0.118" x  
0.236" (PZ1)



**A0308031**  
Self-tapping screws 0.118" x  
0.315" (PZ1)



**A0308132**  
Self-tapping screw 0.118" x  
0.315" (T10)  
Stainless steel

## Accessory



**C2201082**  
Cover strips 3.150"  
PC (UL 94 HB)  
silver gray RAL 7001



**C2201084**  
Cover strips 3.150"  
PC (UL 94 HB)  
red RAL 3020



**C2201085**  
Cover strips 3.150"  
PC (UL 94 HB)  
yellow RAL 1023



**C2201086**  
Cover strips 3.150"  
PC (UL 94 HB)  
green RAL 6024



**C2201087**  
Cover strips 3.150"  
PC (UL 94 HB)  
blue RAL 5017



**C2203123**  
Cover strips 4.724"  
PC (UL 94 HB)  
silver gray RAL 7001



**C2203124**  
Cover strips 4.724"  
PC (UL 94 HB)  
red RAL 3020



**C2203125**  
Cover strips 4.724"  
PC (UL 94 HB)  
yellow RAL 1023

# ROBUST-BOX



**C2203126**  
 Cover strips 4.724"  
 PC (UL 94 HB)  
 green RAL 6024



**C2203127**  
 Cover strips 4.724"  
 PC (UL 94 HB)  
 blue RAL 5017



**C2204162**  
 Cover strips 6.299"  
 PC (UL 94 HB)  
 silver gray RAL 7001



**C2204164**  
 Cover strips 6.299"  
 PC (UL 94 HB)  
 red RAL 3020



**C2204165**  
 Cover strips 6.299"  
 PC (UL 94 HB)  
 yellow RAL 1023



**C2204166**  
 Cover strips 6.299"  
 PC (UL 94 HB)  
 green RAL 6024



**C2204167**  
 Cover strips 6.299"  
 PC (UL 94 HB)  
 blue RAL 5017



**C2299018**  
 Case feet  
 TPE (UL 94 HB)



**C2299058**  
 PCB support  
 PC (UL 94 HB)  
 light gray RAL 7035



**C2299068**  
 PCB support  
 PC (UL 94 HB)  
 light gray RAL 7035

Subject to technical modification without notice. © by OKW Gehäusesysteme, Buchen/Germany.